


LLumar® iLLusions™ Decorative Window Film
Gradient Series

Dot Matrix Gradient



SPECIFICATION SHEET



Product Description

Gradient series window films are available in unique designs to fit the needs of different spaces. These window films are intended to give graduated privacy while still allowing for a sense of openness. Partially block out views, selectively hide unattractive areas or add a fresh design element with this versatile series.

Benefits and selection criteria

- Increases privacy vertically, horizontally or side to side.
- Provides definition between spaces
- Partially blocks out views and selectively hides areas
- Helps shield harmful ultraviolet rays



Specifications

| | |
|---------------------------------|---------------------|
| Product Name | Dot Matrix Gradient |
| Product Series | Gradient Series |
| Film Type | Polyester |
| Adhesive Type | Pressure-sensitive |
| Usage | Interior |
| Width | 60" |
| Film Thickness (excludes liner) | .002" |
| Coordinating Product | Dusted Frost Film |

Installation and Warranty

LLumar iLLusions are professionally installed by a global network of authorized dealers in accordance with factory procedures. While installation is fast, with minimal disruption to tenants or contractors, the film is extremely durable and is backed by a limited manufacturer's warranty. Your dealer can provide you with technical information and warranty details.

Contact Information

Call 1-800-851-7781 or visit solutions.llumar.com/commercial to learn more.

Performance Data

| | Location on Film (see diagram) | % Visible Light Transmittance | % Diffuse Visible Light Reflectance (exterior) | Privacy Film Rating |
|---|--------------------------------|-------------------------------|--|---------------------|
| Clear Glass 1/8" (3mm) single pane | - | 90 | 8 | 0 |
| Dot Matrix Gradient 1/8" (3mm) single pane | ① | 49 | 8 | 1 |
| | ② | 79 | 30 | 7 |

Privacy Film Rating

This number, between 0 (clear) and 10 (opaque), represents the relative difficulty an observer has in identifying the nature and character of an object located on the opposite side of the window, with the observer and the object both located at least 2 feet from the pane upon which the product has been installed.

For the most current data please go to LLumar.com/nar-deco-specs



LLumar.com

© 2014 Eastman Chemical Company. LLumar® and the LLumar® logo are trademarks of Eastman Chemical Company or one of its wholly owned subsidiaries. As used herein, © denotes registered trademark status in the U.S. only. Printed in U.S.A. (11/14)




LLumar® iLLusions™ Decorative Window Film
Gradient Series

Mini Dot Matrix Gradient



SPECIFICATION SHEET




Product Description

Gradient series window films are available in unique designs to fit the needs of different spaces. These window films are intended to give graduated privacy while still allowing for a sense of openness. Partially block out views, selectively hide unattractive areas or add a fresh design element with this versatile series.

Benefits and selection criteria

- Obscures definition for privacy
- Selectively conceals what is not meant to be seen
- Allows light in, contributing to a warm and inviting space
- Helps shield harmful ultraviolet rays



Specifications

| | |
|---------------------------------|--------------------------|
| Product Name | Mini Dot Matrix Gradient |
| Product Series | Gradient Series |
| Film Type | Polyester |
| Adhesive Type | Pressure-sensitive |
| Usage | Interior |
| Width | 60" |
| Film Thickness (excludes liner) | .002" |
| Coordinating Product | Dusted Frost Film |

Installation and Warranty

LLumar iLLusions are professionally installed by a global network of authorized dealers in accordance with factory procedures. While installation is fast, with minimal disruption to tenants or contractors, the film is extremely durable and is backed by a limited manufacturer's warranty. Your dealer can provide you with technical information and warranty details.

Contact Information

Call 1-800-851-7781 or visit solutions.llumar.com/commercial to learn more.

Performance Data

| | Location on Film (see diagram) | % Visible Light Transmittance | % Diffuse Visible Light Reflectance (exterior) | Privacy Film Rating |
|--|--------------------------------|-------------------------------|--|---------------------|
| Clear Glass 1/8" (3mm) single pane | - | 90 | 8 | 0 |
| Mini Dot Matrix Gradient 1/8" (3mm) single pane | ① | 55 | 8 | 0 |
| | ② | 85 | 30 | 5 |

Privacy Film Rating

This number, between 0 (clear) and 10 (opaque), represents the relative difficulty an observer has in identifying the nature and character of an object located on the opposite side of the window, with the observer and the object both located at least 2 feet from the pane upon which the product has been installed.

For the most current data please go to LLumar.com/nar-deco-specs



LLumar.com

© 2014 Eastman Chemical Company. LLumar® and the LLumar® logo are trademarks of Eastman Chemical Company or one of its wholly owned subsidiaries. As used herein, © denotes registered trademark status in the U.S. only. Printed in U.S.A. (11/14)




LLumar® iLLusions™ Decorative Window Film
Gradient Series



Mirrored Mini Dot Matrix Gradient

SPECIFICATION SHEET




To view this product and the rest of the LLumar® iLLusions™ line, please visit LLumar.com/decofilmviewer

Product Description

Gradient series window films are available in unique designs to fit the needs of different spaces. These window films are intended to give graduated privacy while still allowing for a sense of openness. Partially block out views, selectively hide unattractive areas or add a fresh design element with this versatile series.

Benefits and selection criteria

- Creates interest and function without interference
- Etched frost finish heightens composition
- Ideal for bathrooms with a center band for privacy
- Helps shield harmful ultraviolet rays



Detailed View

Specifications

| | |
|---------------------------------|-----------------------------------|
| Product Name | Mirrored Mini Dot Matrix Gradient |
| Product Series | Gradient Series |
| Film Type | Polyester |
| Adhesive Type | Pressure-sensitive |
| Usage | Interior |
| Width | 60" |
| Film Thickness (excludes liner) | .002" |
| Coordinating Product | Dusted Frost Film |

Installation and Warranty

LLumar iLLusions are professionally installed by a global network of authorized dealers in accordance with factory procedures. While installation is fast, with minimal disruption to tenants or contractors, the film is extremely durable and is backed by a limited manufacturer's warranty. Your dealer can provide you with technical information and warranty details.

Contact Information

Call 1-800-851-7781 or visit solutions.llumar.com/commercial to learn more.

Performance Data

| | Location on Film (see diagram) | % Visible Light Transmittance | % Diffuse Visible Light Reflectance (exterior) | Privacy Film Rating |
|---|--------------------------------|-------------------------------|--|---------------------|
| Clear Glass 1/8" (3mm) single pane | - | 90 | 8 | 0 |
| Mirrored Mini Dot Matrix Gradient 1/8" (3mm) single pane | ① | 47 | 8 | 1 |
| | ② | 78 | 30 | 6 |

Privacy Film Rating

This number, between 0 (clear) and 10 (opaque), represents the relative difficulty an observer has in identifying the nature and character of an object located on the opposite side of the window, with the observer and the object both located at least 2 feet from the pane upon which the product has been installed.

For the most current data please go to LLumar.com/nar-deco-specs



LLumar.com

© 2014 Eastman Chemical Company. LLumar® and the LLumar® logo are trademarks of Eastman Chemical Company or one of its wholly owned subsidiaries. As used herein, © denotes registered trademark status in the U.S. only. Printed in U.S.A. (11/14)



LLumar® iLLusions™ Decorative Window Film
 Gradient Series
Grass Blade Gradient



SPECIFICATION SHEET



Product Description

Gradient series window films are available in unique designs to fit the needs of different spaces. These window films are intended to give graduated privacy while still allowing for a sense of openness. Partially block out views, selectively hide unattractive areas or add a fresh design element with this versatile series.

Benefits and selection criteria

- Nature meets glass in this unique play on privacy
- Partially block out views for minimum distraction and maximum light
- Fine lines create horizontal interest with vertical style
- Helps shield harmful ultraviolet rays



Specifications

| | |
|---------------------------------|----------------------|
| Product Name | Grass Blade Gradient |
| Product Series | Gradient Series |
| Film Type | Polyester |
| Adhesive Type | Pressure-sensitive |
| Usage | Interior |
| Width | 60" |
| Film Thickness (excludes liner) | .002" |
| Coordinating Product | Dusted Frost Film |

Installation and Warranty

LLumar iLLusions are professionally installed by a global network of authorized dealers in accordance with factory procedures. While installation is fast, with minimal disruption to tenants or contractors, the film is extremely durable and is backed by a limited manufacturer's warranty. Your dealer can provide you with technical information and warranty details.

Contact Information

Call 1-800-851-7781 or visit solutions.llumar.com/commercial to learn more.

Performance Data

| | Location on Film (see diagram) | % Visible Light Transmittance | % Diffuse Visible Light Reflectance (exterior) | Privacy Film Rating |
|--|--------------------------------|-------------------------------|--|---------------------|
| Clear Glass 1/8" (3mm) single pane | - | 90 | 8 | 0 |
| Grass Blade Gradient 1/8" (3mm) single pane | ① | 57 | 8 | 0 |
| | ② | 88 | 30 | 7 |

Privacy Film Rating

This number, between 0 (clear) and 10 (opaque), represents the relative difficulty an observer has in identifying the nature and character of an object located on the opposite side of the window, with the observer and the object both located at least 2 feet from the pane upon which the product has been installed.

For the most current data please go to LLumar.com/nar-deco-specs



LLumar.com


© 2014 Eastman Chemical Company. LLumar® and the LLumar® logo are trademarks of Eastman Chemical Company or one of its wholly owned subsidiaries. As used herein, © denotes registered trademark status in the U.S. only. Printed in U.S.A. (11/14)



LLumar® iLLusions™ Decorative Window Film
 Gradient Series
Blizzard Gradient



SPECIFICATION SHEET



Product Description

Gradient series window films are available in unique designs to fit the needs of different spaces. These window films are intended to give graduated privacy while still allowing for a sense of openness. Partially block out views, selectively hide unattractive areas or add a fresh design element with this versatile series.

Benefits and selection criteria

- Provides partial privacy
- Maximizes light flow and visibility through the tops of glass walls
- Helps shield harmful ultraviolet rays



Specifications

| | |
|---------------------------------|--------------------|
| Product Name | Blizzard Gradient |
| Product Series | Gradient Series |
| Film Type | Polyester |
| Adhesive Type | Pressure-sensitive |
| Usage | Interior |
| Width | 60" |
| Film Thickness (excludes liner) | .002" |
| Coordinating Product | Dusted Frost Film |

Installation and Warranty

LLumar iLLusions are professionally installed by a global network of authorized dealers in accordance with factory procedures. While installation is fast, with minimal disruption to tenants or contractors, the film is extremely durable and is backed by a limited manufacturer's warranty. Your dealer can provide you with technical information and warranty details.

Contact Information

Call 1-800-851-7781 or visit solutions.llumar.com/commercial to learn more.

Performance Data

| | Location on Film (see diagram) | % Visible Light Transmittance | % Diffuse Visible Light Reflectance (exterior) | Privacy Film Rating |
|---|--------------------------------|-------------------------------|--|---------------------|
| Clear Glass 1/8" (3mm) single pane | - | 90 | 8 | 0 |
| Blizzard Gradient 1/8" (3mm) single pane | ① | 59 | 8 | 1 |
| | ② | 81 | 30 | 5 |

Privacy Film Rating

This number, between 0 (clear) and 10 (opaque), represents the relative difficulty an observer has in identifying the nature and character of an object located on the opposite side of the window, with the observer and the object both located at least 2 feet from the pane upon which the product has been installed.

For the most current data please go to LLumar.com/nar-deco-specs



LLumar.com


© 2014 Eastman Chemical Company. LLumar® and the LLumar® logo are trademarks of Eastman Chemical Company or one of its wholly owned subsidiaries. As used herein, © denotes registered trademark status in the U.S. only. Printed in U.S.A. (11/14)



LLumar® iLLusions™ Decorative Window Film
 Gradient Series
Static Gradient



SPECIFICATION SHEET



To view this product and the rest of the LLumar® iLLusions™ line, please visit LLumar.com/decofilmviewer

Product Description

Gradient series window films are available in unique designs to fit the needs of different spaces. These window films are intended to give graduated privacy while still allowing for a sense of openness. Partially block out views, selectively hide unattractive areas or add a fresh design element with this versatile series.

Benefits and selection criteria

- Creates modern style with a retro look
- Allows light in and provides privacy
- Helps shield harmful ultraviolet rays



Detailed View

Specifications

| | |
|---------------------------------|--------------------|
| Product Name | Static Gradient |
| Product Series | Gradient Series |
| Film Type | Polyester |
| Adhesive Type | Pressure-sensitive |
| Usage | Interior |
| Width | 60" |
| Film Thickness (excludes liner) | .002" |
| Coordinating Product | Dusted Frost Film |

Installation and Warranty

LLumar iLLusions are professionally installed by a global network of authorized dealers in accordance with factory procedures. While installation is fast, with minimal disruption to tenants or contractors, the film is extremely durable and is backed by a limited manufacturer's warranty. Your dealer can provide you with technical information and warranty details.

Contact Information

Call 1-800-851-7781 or visit solutions.llumar.com/commercial to learn more.

Performance Data

| | Location on Film (see diagram) | % Visible Light Transmittance | % Diffuse Visible Light Reflectance (exterior) | Privacy Film Rating |
|---|--------------------------------|-------------------------------|--|---------------------|
| Clear Glass 1/8" (3mm) single pane | - | 90 | 8 | 0 |
| Static Gradient 1/8" (3mm) single pane | ① | 62 | 8 | 0 |
| | ② | 88 | 30 | 6 |

Privacy Film Rating

This number, between 0 (clear) and 10 (opaque), represents the relative difficulty an observer has in identifying the nature and character of an object located on the opposite side of the window, with the observer and the object both located at least 2 feet from the pane upon which the product has been installed.

For the most current data please go to LLumar.com/nar-deco-specs



LLumar.com

© 2014 Eastman Chemical Company. LLumar® and the LLumar® logo are trademarks of Eastman Chemical Company or one of its wholly owned subsidiaries. As used herein, © denotes registered trademark status in the U.S. only. Printed in U.S.A. (11/14)



LLumar® iLLusions™ Decorative Window Film
 Gradient Series
Blinds Gradient



SPECIFICATION SHEET




To view this product and the rest of the LLumar® iLLusions™ line, please visit LLumar.com/decofilmviewer

Product Description

Gradient series window films are available in unique designs to fit the needs of different spaces. These window films are intended to give graduated privacy while still allowing for a sense of openness. Partially block out views, selectively hide unattractive areas or add a fresh design element with this versatile series.

Benefits and selection criteria

- Mimics open and closed blinds for a fresh take on privacy
- Provides luminosity from the top down, encompassing the space
- Helps shield harmful ultraviolet rays



Detailed View

Specifications

| | |
|---------------------------------|--------------------|
| Product Name | Blinds Gradient |
| Product Series | Gradient Series |
| Film Type | Polyester |
| Adhesive Type | Pressure-sensitive |
| Usage | Interior |
| Width | 60" |
| Film Thickness (excludes liner) | .002" |
| Coordinating Product | Dusted Frost Film |

Installation and Warranty

LLumar iLLusions are professionally installed by a global network of authorized dealers in accordance with factory procedures. While installation is fast, with minimal disruption to tenants or contractors, the film is extremely durable and is backed by a limited manufacturer's warranty. Your dealer can provide you with technical information and warranty details.

Contact Information

Call 1-800-851-7781 or visit solutions.llumar.com/commercial to learn more.

Performance Data

| | Location on Film (see diagram) | % Visible Light Transmittance | % Diffuse Visible Light Reflectance (exterior) | Privacy Film Rating |
|---|--------------------------------|-------------------------------|--|---------------------|
| Clear Glass 1/8" (3mm) single pane | - | 90 | 8 | 0 |
| Blinds Gradient 1/8" (3mm) single pane | ① | 61 | 8 | 0 |
| | ② | 83 | 30 | 5 |

Privacy Film Rating

This number, between 0 (clear) and 10 (opaque), represents the relative difficulty an observer has in identifying the nature and character of an object located on the opposite side of the window, with the observer and the object both located at least 2 feet from the pane upon which the product has been installed.

For the most current data please go to LLumar.com/nar-deco-specs



LLumar.com

© 2014 Eastman Chemical Company. LLumar® and the LLumar® logo are trademarks of Eastman Chemical Company or one of its wholly owned subsidiaries. As used herein, © denotes registered trademark status in the U.S. only. Printed in U.S.A. (11/14)

