

LLumar® iLLusions™ Decorative Window Film  
 Texture Series  
**Crackled Glass (NRMV CG)**



SPECIFICATION SHEET



To view this product and the rest of the LLumar® iLLusions™ line, please visit [LLumar.com/decofilmviewer](http://LLumar.com/decofilmviewer)

**Product Description**

LLumar textured films refract light and simulate the sparkle and clarity of a textured glass window. These translucent, flexible films are the perfect solution for hard-to-cover specialty windows. Add elegance to buildings without the cost of designer glass.

**Benefits and selection criteria**

- A rich and welcoming finish adds dimension to glass
- Adds privacy to help reduce distractions in an office setting
- Refracts light and simulates texture without designer glass cost
- Helps shield harmful ultraviolet rays

**Specifications**

Product Name	Crackled Glass (NRMV CG)
Product Series	Texture Series
Film Type	Vinyl
Adhesive Type	Pressure-sensitive
Usage	Interior
Width	48"
Film Thickness (excludes liner)	.011"

**Installation and Warranty**

LLumar iLLusions are professionally installed by a global network of authorized dealers in accordance with factory procedures. While installation is fast, with minimal disruption to tenants or contractors, the film is extremely durable and is backed by a limited manufacturer's warranty. Your dealer can provide you with technical information and warranty details.

**Contact Information**

Call 1-800-851-7781 or visit [solutions.llumar.com/commercial](http://solutions.llumar.com/commercial) to learn more.

**Performance Data**

	% Visible Light Transmittance	% Diffuse Visible Light Reflectance (exterior)	Privacy Film Rating
Clear Glass 1/8" (3mm) single pane	90	8	0
Crackled Glass (NRMV CG) 1/8" (3mm) single pane	84	9	5

**Privacy Film Rating**

This number, between 0 (clear) and 10 (opaque), represents the relative difficulty an observer has in identifying the nature and character of an object located on the opposite side of the window, with the observer and the object both located at least 2 feet from the pane upon which the product has been installed.

For the most current data please go to [LLumar.com/nar-deco-specs](http://LLumar.com/nar-deco-specs)



LLumar.com

© 2014 Eastman Chemical Company. LLumar® and the LLumar® logo are trademarks of Eastman Chemical Company or one of its wholly owned subsidiaries. As used herein, © denotes registered trademark status in the U.S. only. Printed in U.S.A. (11/14)



# LLumar® iLLusions™ Decorative Window Film

## Texture Series

### Satin Crystal (NRMV SC)



## SPECIFICATION SHEET



To view this product and the rest of the LLumar® iLLusions™ line, please visit [LLumar.com/decofilmviewer](http://LLumar.com/decofilmviewer)

## Specifications

Product Name	Satin Crystal (NRMV SC)
Product Series	Texture Series
Film Type	Vinyl
Adhesive Type	Pressure-sensitive
Usage	Interior
Width	48"
Film Thickness (excludes liner)	.005"

## Performance Data

	% Visible Light Transmittance	% Diffuse Visible Light Reflectance (exterior)	Privacy Film Rating
Clear Glass 1/8" (3mm) single pane	90	8	0
Satin Crystal (NRMV SC) 1/8" (3mm) single pane	89	9	6

For the most current data please go to [LLumar.com/nar-deco-specs](http://LLumar.com/nar-deco-specs)

## Product Description

LLumar textured films refract light and simulate the sparkle and clarity of a textured glass window. These translucent, flexible films are the perfect solution for hard-to-cover specialty windows. Add elegance to buildings without the cost of designer glass.

### Benefits and selection criteria

- Creates a soft separation of space for an upscale look
- Simulates textured glass at a fraction of the cost
- Provides ambient privacy and elegance
- Helps shield harmful ultraviolet rays

## Installation and Warranty

LLumar iLLusions are professionally installed by a global network of authorized dealers in accordance with factory procedures. While installation is fast, with minimal disruption to tenants or contractors, the film is extremely durable and is backed by a limited manufacturer's warranty. Your dealer can provide you with technical information and warranty details.

## Contact Information

Call 1-800-851-7781 or visit [solutions.llumar.com/commercial](http://solutions.llumar.com/commercial) to learn more.

### Privacy Film Rating

This number, between 0 (clear) and 10 (opaque), represents the relative difficulty an observer has in identifying the nature and character of an object located on the opposite side of the window, with the observer and the object both located at least 2 feet from the pane upon which the product has been installed.



[LLumar.com](http://LLumar.com)

© 2014 Eastman Chemical Company. LLumar® and the LLumar® logo are trademarks of Eastman Chemical Company or one of its wholly owned subsidiaries. As used herein, © denotes registered trademark status in the U.S. only. Printed in U.S.A. (11/14)



LLumar® iLLusions™ Decorative Window Film  
Texture Series

**Brushed Crystal (NRMV BC)**



SPECIFICATION SHEET



To view this product and the rest of the LLumar® iLLusions™ line, please visit [LLumar.com/decofilmviewer](http://LLumar.com/decofilmviewer)

**Specifications**

Product Name	Brushed Crystal (NRMV BC)
Product Series	Texture Series
Film Type	Vinyl
Adhesive Type	Pressure-sensitive
Usage	Interior
Width	48"
Film Thickness (excludes liner)	.005"

**Performance Data**

	% Visible Light Transmittance	% Diffuse Visible Light Reflectance (exterior)	Privacy Film Rating
Clear Glass 1/8" (3mm) single pane	90	8	0
Brushed Crystal (NRMV BC) 1/8" (3mm) single pane	86	12	6

For the most current data please go to [LLumar.com/nar-deco-specs](http://LLumar.com/nar-deco-specs)

**Product Description**

LLumar textured films refract light and simulate the sparkle and clarity of a textured glass window. These translucent, flexible films are the perfect solution for hard-to-cover specialty windows. Add elegance to buildings without the cost of designer glass.

**Benefits and selection criteria**

- Provides optimal separation of space
- Enriches surroundings with an understated look
- Provides ambient privacy and elegance
- Refracts light and simulates texture without designer glass cost
- Helps shield harmful ultraviolet rays

**Installation and Warranty**

LLumar iLLusions are professionally installed by a global network of authorized dealers in accordance with factory procedures. While installation is fast, with minimal disruption to tenants or contractors, the film is extremely durable and is backed by a limited manufacturer's warranty. Your dealer can provide you with technical information and warranty details.

**Contact Information**

Call 1-800-851-7781 or visit [solutions.llumar.com/commercial](http://solutions.llumar.com/commercial) to learn more.

**Privacy Film Rating**

This number, between 0 (clear) and 10 (opaque), represents the relative difficulty an observer has in identifying the nature and character of an object located on the opposite side of the window, with the observer and the object both located at least 2 feet from the pane upon which the product has been installed.



LLumar.com

© 2014 Eastman Chemical Company. LLumar® and the LLumar® logo are trademarks of Eastman Chemical Company or one of its wholly owned subsidiaries. As used herein, © denotes registered trademark status in the U.S. only. Printed in U.S.A. (11/14)



# LLumar® iLLusions™ Decorative Window Film

## Texture Series

### Satin Crystal Clear



## SPECIFICATION SHEET



To view this product and the rest of the LLumar® iLLusions™ line, please visit [LLumar.com/decofilmviewer](http://LLumar.com/decofilmviewer)

## Specifications

Product Name	Satin Crystal Clear
Product Series	Texture Series
Film Type	Vinyl
Adhesive Type	Pressure-sensitive
Usage	Interior
Width	60"
Film Thickness (excludes liner)	.004"

## Performance Data

	% Visible Light Transmittance	% Diffuse Visible Light Reflectance (exterior)	Privacy Film Rating
Clear Glass 1/8" (3mm) single pane	90	8	0
Satin Crystal Clear 1/8" (3mm) single pane	90	9	6

For the most current data please go to [LLumar.com/nar-deco-specs](http://LLumar.com/nar-deco-specs)

## Product Description

LLumar textured films refract light and simulate the sparkle and clarity of a textured glass window. These translucent, flexible films are the perfect solution for hard-to-cover specialty windows. Add elegance to buildings without the cost of designer glass.

### Benefits and selection criteria

- Subtle texture creates ambiance in a defined space
- Adds interest without distraction
- Provides privacy and elegance
- Refracts light and simulates texture without designer glass cost
- Helps shield harmful ultraviolet rays

## Installation and Warranty

LLumar iLLusions are professionally installed by a global network of authorized dealers in accordance with factory procedures. While installation is fast, with minimal disruption to tenants or contractors, the film is extremely durable and is backed by a limited manufacturer's warranty. Your dealer can provide you with technical information and warranty details.

## Contact Information

Call 1-800-851-7781 or visit [solutions.llumar.com/commercial](http://solutions.llumar.com/commercial) to learn more.

## Privacy Film Rating

This number, between 0 (clear) and 10 (opaque), represents the relative difficulty an observer has in identifying the nature and character of an object located on the opposite side of the window, with the observer and the object both located at least 2 feet from the pane upon which the product has been installed.



[LLumar.com](http://LLumar.com)

© 2014 Eastman Chemical Company. LLumar® and the LLumar® logo are trademarks of Eastman Chemical Company or one of its wholly owned subsidiaries. As used herein, © denotes registered trademark status in the U.S. only. Printed in U.S.A. (11/14)



LLumar® iLLusions™ Decorative Window Film  
Texture Series  
**Sandblast**



SPECIFICATION SHEET



To view this product and the rest of the LLumar® iLLusions™ line, please visit [LLumar.com/decofilmviewer](http://LLumar.com/decofilmviewer)

**Product Description**

LLumar textured films refract light and simulate the sparkle and clarity of a textured glass window. These translucent, flexible films are the perfect solution for hard-to-cover specialty windows. Add elegance to buildings without the cost of designer glass.

**Benefits and selection criteria**

- Obscures visibility for desired privacy while allowing in light
- Simulates textured glass at a fraction of the cost
- Helps shield harmful ultraviolet rays

**Specifications**

Product Name	Sandblast
Product Series	Texture Series
Film Type	Vinyl
Adhesive Type	Pressure-sensitive
Usage	Interior
Widths	60", 48"
Film Thickness (excludes liner)	.005"

**Installation and Warranty**

LLumar iLLusions are professionally installed by a global network of authorized dealers in accordance with factory procedures. While installation is fast, with minimal disruption to tenants or contractors, the film is extremely durable and is backed by a limited manufacturer's warranty. Your dealer can provide you with technical information and warranty details.

**Contact Information**

Call 1-800-851-7781 or visit [solutions.llumar.com/commercial](http://solutions.llumar.com/commercial) to learn more.

**Performance Data**

	% Visible Light Transmittance	% Diffuse Visible Light Reflectance (exterior)	Privacy Film Rating
Clear Glass 1/8" (3mm) single pane	90	8	0
<b>Sandblast</b> 1/8" (3mm) single pane	<b>87</b>	<b>9</b>	<b>7</b>

**Privacy Film Rating**

This number, between 0 (clear) and 10 (opaque), represents the relative difficulty an observer has in identifying the nature and character of an object located on the opposite side of the window, with the observer and the object both located at least 2 feet from the pane upon which the product has been installed.

For the most current data please go to [LLumar.com/nar-deco-specs](http://LLumar.com/nar-deco-specs)



LLumar.com

© 2014 Eastman Chemical Company. LLumar® and the LLumar® logo are trademarks of Eastman Chemical Company or one of its wholly owned subsidiaries. As used herein, © denotes registered trademark status in the U.S. only. Printed in U.S.A. (11/14)





LLumar® iLLusions™ Decorative Window Film  
Texture Series  
**Frosted Glass**



SPECIFICATION SHEET



To view this product and the rest of the LLumar® iLLusions™ line, please visit [LLumar.com/decofilmviewer](http://LLumar.com/decofilmviewer)

**Specifications**

Product Name	Frosted Glass
Product Series	Texture Series
Film Type	Vinyl
Adhesive Type	Pressure-sensitive
Usage	Interior
Width	48"
Film Thickness (excludes liner)	.004"

**Performance Data**

	% Visible Light Transmittance	% Diffuse Visible Light Reflectance (exterior)	Privacy Film Rating
Clear Glass 1/8" (3mm) single pane	90	8	0
Frosted Glass 1/8" (3mm) single pane	88	9	5

For the most current data please go to [LLumar.com/nar-deco-specs](http://LLumar.com/nar-deco-specs)

**Product Description**

LLumar textured films refract light and simulate the sparkle and clarity of a textured glass window. These translucent, flexible films are the perfect solution for hard-to-cover specialty windows. Add elegance to buildings without the cost of designer glass.

**Benefits and selection criteria**

- Creates a sophisticated look without the expense of etched glass
- Realistic textured finish ensures privacy and maintains brightness
- Helps shield harmful ultraviolet rays

**Installation and Warranty**

LLumar iLLusions are professionally installed by a global network of authorized dealers in accordance with factory procedures. While installation is fast, with minimal disruption to tenants or contractors, the film is extremely durable and is backed by a limited manufacturer's warranty. Your dealer can provide you with technical information and warranty details.

**Contact Information**

Call 1-800-851-7781 or visit [solutions.llumar.com/commercial](http://solutions.llumar.com/commercial) to learn more.

**Privacy Film Rating**

This number, between 0 (clear) and 10 (opaque), represents the relative difficulty an observer has in identifying the nature and character of an object located on the opposite side of the window, with the observer and the object both located at least 2 feet from the pane upon which the product has been installed.



LLumar.com

© 2014 Eastman Chemical Company. LLumar® and the LLumar® logo are trademarks of Eastman Chemical Company or one of its wholly owned subsidiaries. As used herein, © denotes registered trademark status in the U.S. only. Printed in U.S.A. (11/14)

